North Carolina Division of Public Health Guidance: Personal Protective Equipment (PPE) in Hospital Ebola Isolation Units Doffing Checklist

Date:/	Designated Site Monitor Name:
	Healthcare Personnel Name:

<u>Instructions:</u> This checklist is to be completed by the designated site monitor for every healthcare worker that accesses the Ebola isolation patient care area. It is critical that each step be completed correctly and documented. The designated site monitor should also wear the following PPE during the doffing process: 1) Single-use impermeable gown or coverall; 2) Single-use full face shield; 3) Two pair of single-use nitrile examination gloves; the outer pair should have extended cuffs.

Doffing Checklist Item	Description	Step performed appropriately?	If No, or Breach identified, explain	Site Monitor Initials
 While in patient room: Hand hygiene on outer gloves Inspect and wipe PPE Hand hygiene on outer gloves Assure designated site monitor is present and engaged 	 Perform hand hygiene on outer gloves. Inspect PPE (with buddy, if present) and us an EPA-approved disinfectant wipe to clean PPE. Perform hand hygiene once more. Engage the monitor to observe and assist with doffing; only 1 healthcare personnel should exit and doff at a time. 	☐ Yes ☐ No		
2. Step into chlorine bath	Chlorine bath should be used with 1:10 or 0.5% bleach solution and should cover top of boots.	☐ Yes ☐ No		
Step to absorbent walk-off mat	Step onto designated walk-off mat, stay in this area for doffing.	☐ Yes ☐ No		
Perform hand hygiene on double-gloved hands	Use soap and water, EPA-approved disinfectant wipe, or alcoholbased hand rub.	☐ Yes ☐ No		
Inspect PPE/wipe visible contamination	All PPE should be inspected for any visible breaches. Document breaches and notify appropriate Occupational Health & Safety personnel per hospital protocol.	☐ Yes ☐ No ☐ Breach identified (explain)		
6. Perform hand hygiene on double-gloved hands	Use soap and water, EPA-approved disinfectant wipe, or alcoholbased hand rub.	☐ Yes ☐ No		
7. Remove outer gloves	Use glove-in-glove technique to remove outer gloves. Dispose.	☐ Yes ☐ No		

Doffing Checklist Item	Description	Step performed appropriately?	If No, or Breach identified, explain	Site Monitor Initials
8. Inspect inner gloves	Inspect remaining inner gloves for any visible breaches. If no breaches identified: Use soap and water, EPA-approved disinfectant wipe, or alcohol-based hand rub. If breaches identified: 1) Perform hand hygiene on gloved hands, 2) Remove inner gloves, 3) Perform hand hygiene on bare hands, 4) Don clean gloves	☐ Yes ☐ No ☐ Breach identified (explain)		
Perform hand hygiene on inner gloves	Use soap and water, EPA-approved disinfectant wipe, or alcoholbased hand rub.	☐ Yes ☐ No		
10. Remove apron	Gently remove and roll from the inside out to avoid contaminating self and environment. Dispose.	☐ Yes ☐ No ☐ N/A		
11. Perform hand hygiene on inner gloves	Use soap and water, EPA-approved disinfectant wipe, or alcoholbased hand rub.	☐ Yes ☐ No		
12. Inspect/wipe visible contamination (especially on torso)	Following apron removal, use EPA-approved disinfectant wipe to wipe down visible contamination, particularly on torso. Dispose of wipe.	☐ Yes ☐ No ☐ Breach identified (explain)		
13. Perform hand hygiene on inner gloves	Use soap and water, EPA-approved disinfectant wipe, or alcoholbased hand rub.	☐ Yes ☐ No		
14. Remove gown or coverall	Gown: Untie/unfasten, or receive assistance. Avoid contact with scrubs during removal, pull away from body and roll inside out. Only touch inside of gown. Dispose. Coverall: Tilt head back, reach under hood without touching sleeves to head or face. Unzip completely, pull out and away from body and down, then roll inside out. Avoid contact with scrubs. Dispose.	□ Yes □ No		
15. Perform hand hygiene on inner gloves	Use soap and water, EPA-approved disinfectant wipe, or alcoholbased hand rub.	☐ Yes ☐ No		
16. Remove face shield	Lean forward, tilt head forward, grab rear strap, pull over head until it falls forward. Do not touch surface of shield. Dispose.	☐ Yes ☐ No		
17. Perform hand hygiene on inner gloves	Use soap and water, EPA-approved disinfectant wipe, or alcoholbased hand rub.	☐ Yes ☐ No		
18. Remove surgical hood	Lean forward, pull up and overhead or unfasten to remove, and discard. Dispose.	☐ Yes ☐ No		
19. Perform hand hygiene on inner gloves	Use soap and water, EPA-approved disinfectant wipe, or alcoholbased hand rub.	☐ Yes ☐ No		

Doffing Checklist Item	Description	Step performed appropriately?	If No, or Breach identified, explain	Site Monitor Initials
20. Inspect/wipe plastic boots	Use EPA-approved disinfectant wipe to wipe down visibly	☐ Yes ☐ No		
	contaminated boots. Dispose of wipe.	□ N/A		
21. Perform hand hygiene on inner gloves	Use soap and water, EPA-approved disinfectant wipe, or alcoholbased hand rub.	☐ Yes ☐ No		
22. Remove inner gloves	Use glove-in-glove technique to remove outer gloves. Dispose.	☐ Yes ☐ No		
23. Perform hand hygiene on bare hands	Use soap and water, EPA-approved disinfectant wipe, or alcoholbased hand rub.	☐ Yes ☐ No		
24. Don clean pair of gloves	Don clean pair of nitrile gloves before removing N95.	☐ Yes ☐ No		
25. Perform hand hygiene on gloves	Use soap and water, EPA-approved disinfectant wipe, or alcoholbased hand rub.	☐ Yes ☐ No		
26. Remove N95 respirator	Tilt head forward, grasp bottom strap on back of head, then grasp top strap; remove without touching front of N95. Dispose.	☐ Yes ☐ No		
27. Perform hand hygiene on inner gloves	Use soap and water, EPA-approved disinfectant wipe, or alcohol-based hand rub.	☐ Yes ☐ No		
28. Remove inner gloves	Use glove-in-glove technique to remove. Dispose.			
29. Perform hand hygiene on bare hands	Use soap and water, EPA-approved disinfectant wipe, or alcoholbased hand rub.	☐ Yes ☐ No		
30. Inspect healthcare personnel	Inspect healthcare worker for any visible contamination or breaches.	☐ Yes ☐ No ☐ Breach identified (explain)		
31. Remove boots	While sitting down, pull off one boot at a time, keeping the boots in the contaminated section of the doffing area. Once removed from boots, feet should be placed and remain in the clean section of the doffing area.	☐ Yes ☐ No		
32. Perform hand hygiene on bare hands	Use soap and water, EPA-approved disinfectant wipe, or alcoholbased hand rub.	☐ Yes ☐ No		
33. Put on shoes, change scrubs, and shower	Healthcare worker should put on shoes, change out of current scrubs, shower and don clean scrubs or clothes.	☐ Yes ☐ No		
34. Rehydrate/replenish	Assure nutrition and hydration of healthcare worker.	☐ Yes ☐ No		